

# Ahead Cell Technology Co.,Ltd

## **Bobbin Cell**

## **Primary Lithium Battery**

ER2450 3.6V 0.5Ah

3.6V Primary lithium-thionyl chloride (Li-SOCI2) Energy Type

For low drain/long term operating applications requesting superior voltage response in -55°C  $\sim$ +85°C environments


Alternative models	TL-2450
Electrical characteristics (Typical values relative to cells stored for one year or less at +30°C max.) Nominal capacity (At 0.5mA +20°C,2.0V cut off.The capacity restored varies according to current,tempera	0.5Ah ture,cut off)
Open circuit voltage(At 20°C)	3.66V
Nominal voltage (At 0.5mA +20°C)	3.6 V
Max. continuous current (at +20°C)	5mA
Typical Max. Pulse current (at +20°C)	10mA
Pulse capability:Typically up to 10mA (10mA/0.1second pulses drained every 2min at 20°C from cells with 10µA base current, yielding voltage readings above 3.0V. The readings may vary according to pulse characteristics, temperature and cell's previous history. Fitting the cell with a capacitor may be recommended in severe conditions. Consult ACT if necessary)	
Storage (recommended)	+30°CMax
Operating temperature range (High and low temperatur will lower the capacity and load voltage.) -5	<u>5°C~+85°C</u>
Physical characteristics	
Diameter(Max)	24.5mm
Height(Max)	5.8mm
<u>Typical weight</u>	<u>10g</u>

Tel:0086 755 32905485/7 Fax:0086 755 32905486 E-mail: sales@act-battery.com Web:www.act-battery.com



# Ahead Cell Technology Co.,Ltd

### ER2450



### **Key features**

- >High and stable load voltage
- >Superior drain capacity
- >Low self-discharge rate (less than 1% after 1 year of storage at 20°C)
- >Stainless steel container
- >Hermetic glass-to-metal sealing
- >Laser welding
- >Non-flammable electrolyte

### Main applications

- >Radiocommunication and other military applications
- >TPMS
- >RFID
- >Alarms and security systems
- >Beacons and emergency location transmitters
- >GPS equipment
- >Metering systems
- >Led lighting applications
- >Others

#### Storage

- >Cells should be stored in a clean &dry(less than 30% RH) area
- >Temp. should not exceed +30°C

#### Warning

- >Do not use if cell casing is mangled
- >Do not use different model of cell in series
- >Soldering the tag should be finished in few seconds
- >Do not try to recharge

